

Figure 1




Figure 1A





Figure 1B

Á






Figure 1D







Figure 1E

Ņ.

-j






Figure 2B






Figure 3A

110E -






Figure 3B

110F ~




Figure 3C







Figure 4








Figure 5B




Figure 6

: ;

71





Figure 7

James .

₹ :







Figure 9











Figure 11A







M

Figure 12

Figure 13




Figure 14






Figure 15




Figure 16






Figure 17







Figure 18







C

Figure 19C




Figure 19D






Figure 19E




XOT:	low H			<u> </u>
	Iools Browse Window	13pt Application Font	Alnput DiOinput Alnput 2 Alnput 2	
rontpanel.vi	Operate	(D) (数) 今		Development ←

Figure 19F



[#	File Options Static Implementation Code	
Fr	FFst, fill in wrapper VI Path. If module generator location is empty, the default will be filled in.	
*	Wrapper VI Path	
<u>=</u>	Modela Cassas and Torsion	
2 60	E Contra con la contra	
1 :	Extract Module Generator from Wrapper Attach Module Generator to Wrapper	
র বাচ	>	×
	Load Into from Existing Module Generator Seve Modifications To Module Generator	
•	 Select Scan load Wrapper VI Info: This gives you the static implementation code to work with. Go to the Options Tab and request any resources needed. Ock Update Static Code to see the stateton change. Select Save Morbitacions or hould scansarow. This creates the 6 Module generators. If code has to be modified at run time, modify the Goode to shaper Code Out. VIS Created area. rivy Constructor. Wis called once per instance when the internal module generator wrapper object is created. rivy Destructor. Wis called when the internal module generator is destroyed. Use to clean up instance data. rivy destructor wis called when the thornal module generator is destroyed. Use to clean up instance data. rivy destructor wis called when the thornal produce the name and request resources. rivy destructor wis called to provides the VIQL Implement about for the wapper VI. 	ton change. o be modified at run time, modify the is created. nne data.
	 rividebt-daration, if can provide a custom declaration however you should usually just use the default. Use if you want to add your own general provides or use the default. rividestinishatistion, it can provide a custom instantiation, however you should usually just use the default. come back to this utility and select "Attach Module Generator to Wrapper". This stores the module generator inside the wraper 'II for easy despionent. The search order for module generator is as follows:	Mediath, Use if you want to add your he default. herelor hiside the wraper VI for easy
	 Look for attached module generator. If does not exist, Look for Module generator. If I does not exist, Look for Module generator. Il Bit same descrives at With hame: whilewhile	happer, vi with an attached module generator.
	LDG3	
A demonstrate		

Figure 20







Figure 21






Figure 23A

Optional at Runtime

A Company of the Comp

A CONTRACTOR OF THE CONTRACTOR




Figure 23B

A STATE OF THE STA




Figure 24